




Installation Guide

Eclipse
(Hardwired)





Mounting Plate
(Pre-assembled with
screws and nuts)




Screw
(2X)




Hex Nut
(2X)




Washer
(4X)




Wire Connector
(3X)



Cross Wrench



Base



Lamp Shade



Warning

Turn off the main power at the circuit breaker before installing the fixture in order to prevent possible shock.



Advertencia

Apaga la alimentación principal en el disyuntor antes de instalar el accesorio para evitar posibles descargas eléctricas.



警告

在安装灯具之前，请关闭配电箱的主电源，以防止可能的触电。



[EN] This product must be installed following the applicable installation codes by a qualified individual who is knowledgeable about its construction, operation, and associated safety hazards.

[ES] Este producto debe instalarse de acuerdo con los códigos de instalación aplicables por una persona calificada que tenga conocimiento sobre su construcción, funcionamiento y los riesgos asociados.

[CN] 本产品必须由熟悉其结构、操作及相关安全隐患的合格人员，按照适用的安装规范进行安装。


01

Turn off the main power at the circuit breaker before installing the fixture in order to prevent possible shock.




02

Mount the plate onto the junction box using two round-head screws.



03

To remove the shade, rotate it counter-clockwise to unlock it from the base. Once the internal tabs are disengaged, gently pull the shade away from the base.




04

Connect the ground wire from the building to the ground wire on the base using a 2-conductor Wago connector.

05


Black wire connects to the live wire (L), white wire connects to the neutral wire (N), and yellow-green wire connects to the protective earth wire.

- ● ● ● • The live wire (L) is generally colored black, red, blue or yellow;
- ● • The neutral wire (N) is generally colored white or grey;
- ● • The earth wire (PE) is generally colored green-yellow strip, green, or exposed copper.



06


Push all the wires and connectors into the junction box.



07


Attach the base to the mounting plate by aligning the holes at the center of the base with the pre-assembled screws on the mounting plate.

Place washers and tighten the nuts onto the screws using the cross wrench.



08

Mount the shade to the base by aligning the slot on the shade's rim with the guide tab inside the base. Rotate the shade clockwise until it clicks or locks firmly into place.



Congratulations, you've finished installation.
Now turn the power back on and enjoy your Eclipse!

KĀDNS